Exceeding Expectations
by Design

Indoor / Outdoor
Vent-Free Gas Fireplaces

Classic Hearth Indoor Series

Mini Classic Indoor Series

Compact Classic Indoor Series

Classic Pro Indoor Series

Fireplace Insert Indoor Series

Odyssey Outdoor Series

Vantage Hearth™
by FMI PRODUCTS, LLC

Fireplace Beauty With The Efficiency Of Vent-Free Technology!

Vantage Hearth's Vent-Free Gas Fireplaces provide clean, quiet, odorless heat, for only pennies an hour. With Vantage Hearth's clean burning, 99% heat efficient burner design, the gas fireplace operates without a chimney. No outside venting is required so you eliminate heat loss and cold air drafts.

A Vantage Hearth Vent-Free Gas Fireplace gives you the attractiveness of a real wood burning fireplace with the heating efficiency and warmth of vent-free gas space heating. No chimney or venting is required so installation is a fraction of the cost of installing a wood burning fireplace. Also, since the fireplace operates without electricity, it is the perfect alternative for emergency heat during power outages. These complete systems include a zero-clearance firebox, high efficiency vent-free gas logs, black louvers and concealed controls. Choose from remote control and thermostatic models and select models feature brick liners in standard or herringbone patterns. Not to mention, a variety of Vantage Hearth accessories to dress up the fireplaces.

With a Vantage Hearth Vent-Free Gas Fireplace, you get the most economical and convenient way to add the beauty of a fireplace to your home.

The Ultimate In Heating Control

There are a variety of models so you can select the comfort setting that best suits your needs. Classic Hearths that are remote control ready allow you to use one of our optional remote controls or the built-in variable manual control to operate the fireplace, while thermostatically controlled models modulate automatically to maintain your desired heat output.

Safety Features Built Into Every Fireplace

Vantage Hearth's Classic Hearth Vent-Free Gas Fireplace Systems are designed certified to meet or exceed all regulations and safety performance standards for vent-free gas appliances. Additionally, these fireplaces perform well within nationally recognized guidelines for indoor air quality.

The dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply. If either occurs, it shuts off the gas flow to the burner turning the heater off. An internal pressure regulator controls fluctuations in your gas pressure. These features ensure clean and reliable heat.

Vantage Hearth Vent-Free Gas Products Meet or Exceed Nationally Recognized Standards/Guidelines for Indoor Air Quality.+

+ Per the findings of the American Gas Association Research when installed and operated per FMI's instructions.

Accessories To Complete The Look!

Customize your Vantage Hearth Vent-Free Gas Fireplace with a variety of optional doors, cabinet mantels, blowers or perimeter trim. Select models can be paired with beautiful rolled louvers in black finish. Filigree and louver trim are also available.

The perimeter trim, glass doors, louver trim and filigree are offered in three finishes: brushed brass, platinum and black. The bi-fold glass doors are easy to install and operate. They offer a beautiful view of the fire while reducing heat loss. An optional blower can be added to louvered/ circulating models to increase the air flow and maximize heat distribution. Remote Controls can also be used with Remote Ready Fireplaces.

See pages 10-12 for more details.

Bi-Fold Glass Doors



Heat Deflection Hood

TRC T-Stat Remote Control

Optional Black Perimeter Trim, Smooth Face Panel & Glass Doors

Optional Platinum Perimeter Trim, Glass Doors & Black Filigree

Optional Platinum Perimeter Trim, Filigree & Glass Doors

Mantels

Optional Wall Mantels in a variety of styles and finishes (Medium Oak Shown)

Sienna Doors

Optional Sienna Screen Doors in Aged Copper

Valencia Doors

Optional Valencia Screen Doors in Antique White

21" Mini Classic (VGMR):
In many homes, finding enough space to have a fireplace can be challenging. The Vantage Hearth Mini Classic is the perfect solution. It is a small 10,000 Btu, remote-ready gas fireplace that will take up very little room. The 10,000 Btu output is a perfect heat range to provide comfortable heat for one or two rooms. This fireplace is approved for bedroom applications.

Custom sized cabinet mantels are available as well, in both wall and corner versions. Attractive red ceramic fiber liner and arched screen come standard.

- Zero clearance construction
- Approved for bedroom use
- 99% efficient
- Up to 10,000 Btu
- Arched screen
- Options include remote controls and cabinet mantels

26" Signle Flame Compact Classic Hearth (VMH26):
When space is at a premium, a Vantage Hearth Single Burner Compact Gas Classic Hearth System is the perfect choice. Enjoy all of the same features and benefits of a full-size Classic Hearth. Realistic dancing yellow flames are achieved by the vent-free split oak gas logs. These complete systems include a zero-clearance compact firebox, black louvers and concealed controls.

- Up to 26,000 Btu
- Either thermostatic or remote models available
- 99% efficient
- Accessories include cabinet mantels, remote controls and blowers

26" Dual Flame Compact Classic Hearth (VDCF):
Vantage Hearth's Dual Burner Compact Classic Hearth System offers a nice "step-up" from the single burner and is ideal for mid-size rooms. The deeper firebox, full-size log set and two rows of flames provides a more realistic fireplace appearance. The optional cabinet mantel/base combination gives the appearance of a full-size mantel and base. Add in the arched screen, a look borrowed from the full-size Classic Hearth, and you have a perfectly priced and positioned fit between the single burner compact and full-size Classic Hearth line.

- Up to 26,000 Btu
- Thermostatic or remote models available
- 99% efficient
- Options include designer face kits, cabinet mantels and blowers

Indoor Vent-Free Gas Fireplaces

32" Classic Hearth (VSGF28/VSGF33/VYGF33):
The Vantage Hearth Classic Hearth is a full-sized 32" fireplace system complete with zero-clearance fire-box, gas log set and concealed controls. 32" Classic Hearth models are available with Golden Oak logs with two rows of dancing yellow flame, or Blaze n' Glow Logs with an innovative ramp burner that more closely replicates a wood fire.

VSGF models allow you to enjoy the realism of full size Blaze n' Glow logs and glowing coals featuring out-standing log aesthetics. A full set of black upper and lower louvers is standard with these models.

The Classic Hearth Fireplace System (VYGF33 and VSGF28/33) is a complete package; it includes the zero-clearance fireplace, plus a set of either Golden Oak or Blaze n' Glow gas logs. A series of cabinet mantels are available as accessories.

VSGF28 models are thermostatically controlled and equipped with an automatic variable speed blower. Thermostatically controlled models offer 28,000 Btu, enough to heat up to 1,000 square feet.

VSGF33 and VYGF33 models are equipped with remote ready controls. The optional manual or automatic blower can be installed to improve heat distribution. These fireplaces offer 33,000 Btu, enough to heat up to 1,100 square feet.

36" Classic Hearth (VL36LE):
The Classic Hearth now comes in a 36" model! (VL36LE shown above).

36" Classic Hearth models offer 33,000 Btu, enough to heat up to 1,100 square feet. The manually controlled gas log set provides a bright wood-like flame. A white refractory brick liner with stacked brick pattern add to the realistic fireplace feel.

36" Classic Pro (VSGF36):
The 36" Classic Pro will be a showpiece in any setting! Our largest vent-free fireplace system, the Vantage Hearth 36" Classic Pro features a handsome arched screen front and Blaze n' Glow logs, with its innovative ramp burner for greater glow. In addition, Classic Pro models include the ProFlame "Smart" Remote (shown right). This beautifully designed handheld remote senses the room temperature and modulates the flame accordingly.

A variable speed blower comes standard for greater heat distribution. Specialized accessories include decorative doors, and cabinet mantels.

Fireplace Beauty With The Efficiency Of Vent-Free Technology!

The Vent-Free Gas Fireplace Insert simply slides into an existing masonry fireplace or recesses into a frame opening. Refer to owner's installation manual for zero-clearance application. (Minimum Fireplace Opening 26" H x 34 3/4" W x 15 3/4" D)

A Vantage Hearth Vent-Free Gas Fireplace Insert is an ideal way to turn an unsightly, sooted or damaged wood burning masonry fireplace into a beautiful, 99.9% heating efficient vent-free appliance.

Simply slide into an existing fireplace or recess into a wall, hook to gas, and presto! - you will have a beautiful, efficient gas fireplace.

The vent-free design requires no chimney and offers safe, reliable heat for pennies an hour.

The Vantage Hearth Zero-Clearance Fireplace Insert features a beautiful charcoal textured paint finish, heat circulating louvers and concealed remote-ready controls. The fiber ceramic logs have realistic bark, detailed split and charred areas. The revolutionary one-piece multi-log design ensures proper placement.

There are several accessories available to further enhance the performance or appearance of your Vantage Hearth Vent-Free Gas Insert. The GB38 and GB43 surrounds feature black trim. All surrounds conceal the installation opening around the fireplace. In addition, there are four remote controls available, see page 12 for more details.

Convert Your Old Wood Burner To An Efficient Vent-Free Appliance!

Before

After

Indoor Vent-Free Gas Fireplaces

Classic Hearth Series Indoor Vent-Free Gas Fireplaces				
MODEL #	**DESCRIPTION**	**BTU CAPACITY**	**FUEL**	**WEIGHT**
21" Mini Classic Hearth Fireplace				
VGMRN	21" Zero-Clearance Single Burner Compact Firebox, Remote Ready Gas Logs	10,000	Natural	45.0 lbs.
VGMRP	21" Zero-Clearance Single Burner Compact Firebox, Remote Ready Gas Logs	10,000	Propane	45.0 lbs.
26" Single Flame Compact Classic Hearth Fireplace				
VMH26TNC	26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	14,000 to 26,000	Natural	41.0 lbs.
VMH26TPC	26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	14,000 to 26,000	Propane	41.0 lbs.
VMH26NRB	26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	14,000 to 26,000	Natural	41.0 lbs.
VMH26PRB	26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	14,000 to 26,000	Propane	41.0 lbs.
26" Dual Flame Compact Classic Hearth Fireplace				
VDCFTNB	26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	17,000 to 26,000	Natural	55.0 lbs.
VDCFTPB	26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	17,000 to 26,000	Propane	55.0 lbs.
VDCFRNB	26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	17,000 to 26,000	Natural	56.0 lbs.
VDCFRPB	26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	17,000 to 26,000	Propane	56.0 lbs.
32" Classic Hearth Fireplace				
VSGF28NTF	32" Zero-Clearance Firebox with Blower and Blaze n' Glow Logs, Both T'Stat Controlled	20,000 to 28,000	Natural	83.0 lbs.
VSGF28PTF	32" Zero-Clearance Firebox with Blower and Blaze n' Glow Logs, Both T'Stat Controlled	20,000 to 28,000	Propane	83.0 lbs.
VSGF33NRC	32" Zero-Clearance Firebox with Remote Ready Blaze n' Glow Logs (Accepts Accessory Blowers)	20,000 to 33,000	Natural	80.0 lbs.
VSGF33PRC	32" Zero-Clearance Firebox with Remote Ready Blaze n' Glow Logs (Accepts Accessory Blowers)	20,000 to 33,000	Propane	80.0 lbs.
VYGF33NRC	32" Zero-Clearance Firebox with Remote Ready Golden Oak Logs (Accepts Accessory Blowers)	20,000 to 33,000	Natural	76.0 lbs.
VYGF33PRC	32" Zero-Clearance Firebox with Remote Ready Golden Oak Logs (Accepts Accessory Blowers)	20,000 to 33,000	Propane	76.0 lbs.
36" Classic Hearth Fireplace				
VL36LEN	36" Zero-Clearance Firebox with Manual Control Logs and Refractory Brick Liners	20,000 to 33,000	Natural	212.0 lbs.
VL36LEP	36" Zero-Clearance Firebox with Manual Control Logs and Refractory Brick Liners	20,000 to 33,000	Propane	212.0 lbs.
36" Classic Pro Fireplace				
VSGF36NRC	36" Zero-Clearance Firebox with Pro-Flame Remote Blaze n' Glow Logs and Variable Speed Blower	21,500 to 33,000	Natural	120.0 lbs.
VSGF36PRC	36" Zero-Clearance Firebox with Pto-Flame Remote Blaze n' Glow Logs and Variable Speed Blower	21,500 to 33,000	Propane	120.0 lbs.
Classic Fireplace Insert				
VI33NRB**	Fireplace Insert with Remote-Ready Golden Oak Logs and T'Stat Blower	15,000 to 33,000	Natural	75.0 lbs.
VI33PRB**	Fireplace Insert with Remote-Ready Golden Oak Logs and T'Stat Blower	15,000 to 33,000	Propane	75.0 lbs.

See pages 10 - 12 for cabinet mantels and accessories. ** Not approved for manufactured fireplaces.

Fireplace Dimensions

MODEL #	A	B	C	D	X	Y	Z
21" Mini Classic	16 1/4	19 3/4	19 3/4	8 7/8	16 3/4	23 1/4	23 1/4
26" Single Compact	25 7/8	26 3/4	26 3/4	9 1/2	12 1/2	26	26
26" Dual Compact	25 7/8	26 3/4	26 3/4	14 1/4	12 1/2	26	26
32" Classic Hearth	31 5/8	34 1/4	22 3/8	16 5/8	18 1/2	32 3/8	32 3/8
36" Classic Hearth	35	41	29	21	21	36	40 5/8
36" Classic Pro	41 5/8	43	29	21 1/8	19 1/2	36	40 1/4
Classic Fireplace Insert	32	34 1/2	22 3/8	18 3/8	-	25 3/4	27

Note: All measurements are in inches. Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.



Classic Beauty
Ultimate Flexibility!

America is moving outdoors. And Vantage Hearth's Odyssey outdoor vent-free gas fireplace systems transform just about any backyard into a private year 'round oasis.

The Odyssey offers the beauty and ambiance of a real wood outdoor fire but without the smoke, hassle and mess. They can be installed virtually anywhere, and come in one beautiful and complete package with all the conveniences and new features homeowners will love!

Note: Not intended for indoor installation.

Features:

• **Eye Dazzling Beauty:** The Odyssey features clean, brushed stainless steel faces and stainless mesh spark screens. The screens tuck out of sight behind hidden side pockets to maximize the beauty of the fireplace. They also include the industry's finest colored and textured refractory brick liner for brick liner for a true masory look. Integrated gas log sets feature intricately detailed bark, split wood and charred textures. Random dancing yellow flames with a deep glowing ember bed complete the full and realistic flame picture.

• **Variety of Sizes & Features:** Available in 36" and 42" sizes in natural white or warm red brick, Odyssey is perfect for any outdoor room. All controls are hidden to eliminate hearth clutter and maximize the real woodburning feel. All models feature glowing ember bed burner with remote ready control and push button ignition.

• **Versatility & Economy:** An Odyssey is extremely economical installation since it requires no venting or chimney construction whatsoever. Not only does that reduce costs, but may also be allowed where restrictions prohibit typical vented outdoor fireplaces.

Odyssey log and burner systems feature intricately detailed log arrangements with random, dancing flames with glowing coals and embers.

Stainless steel mesh spark screens tuck out of sight in hidden side pockets behind the stainless steel face

Outdoor Vent-Free Gas Fireplaces

Odyssey Series Outdoor Vent-Free Gas Fireplaces				
MODEL #	**DESCRIPTION**	**BTU CAPACITY**	**FUEL**	**WEIGHT**
36" Odyssey Fireplace				
VO36NRA	36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner	46,000	Natural	45.0 lbs.
VO36PRA	36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner	47,000	Propane	45.0 lbs.
VO36NRHA	36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner	46,000	Natural	41.0 lbs.
VO36PRHA	36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner	47,000	Propane	41.0 lbs.
VO36NRRA	36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner	46,000	Natural	41.0 lbs.
VO36PRRA	36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner	47,000	Propane	41.0 lbs.
VO36NRRHA	36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner	46,000	Natural	55.0 lbs.
VO36PRRHA	36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner	47,000	Propane	55.0 lbs.
42" Odyssey Fireplace				
VO42NRA	42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner	46,000	Natural	45.0 lbs.
VO42PRA	42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner	47,000	Propane	45.0 lbs.
VO42NRHA	42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner	46,000	Natural	41.0 lbs.
VO42PRHA	42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner	47,000	Propane	41.0 lbs.
VO42NRRA	42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner	46,000	Natural	41.0 lbs.
VO42PRRA	42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner	47,000	Propane	41.0 lbs.
VO42NRRHA	42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner	46,000	Natural	55.0 lbs.
VO42PRRHA	42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner	47,000	Propane	55.0 lbs.

See page 12 for accessories.

Fireplace Dimensions

MODEL #	A	B	C	D	X	Y	Z
VO36	35	41	29	21	21	36	40 5/8
VO42	42	48	36	23	24	40	44 1/4

Note: All measurements are in inches. Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.





Traditional

Traditional
21" Wall (W21TO)
Medium Oak Stain

Georgian

Georgian
26" Corner (C26GO)
Medium Oak Stain

Classic

Classic
32" Wall (W32CO)
Dark Oak Stain

Traditional

Traditional
36" Wall (W36TU)
Unfinished

Cabinet Mantels				
MODEL #	**LOCATION**	**STYLE**	**FINISH**	**COMPATIBLE FIREPLACE**
21" Mini				
W21TP	Wall	Traditional	White	21" Mini Classic
C21TP	Corner	Traditional	White	
W21TO	Wall	Traditional	Medium Oak	
C21TO	Corner	Traditional	Medium Oak	
26" Compact				
W26TU	Wall	Traditional	Unfinished	26" Compact Classic
C26TU	Corner	Traditional	Unfinished	
W26TO	Wall	Traditional	Medium Oak	
C26TO	Corner	Traditional	Medium Oak	
W26GO	Wall	Georgian	Medium Oak	
C26GO	Corner	Georgian	Medium Oak	
32" Large				
W32TU	Wall	Traditional	Unfinished	32" Classic Hearth
C32TU	Corner	Traditional	Unfinished	
W32TO	Wall	Traditional	Medium Oak	
C32TO	Corner	Traditional	Medium Oak	
W32CO	Wall	Classic	Dark Oak	
C32CO	Corner	Classic	Dark Oak	
W32DO	Wall	Traditional/Dentil	Medium Oak	
W32GO	Wall	Georgian	Medium Oak	
C32GO	Corner	Georgian	Medium Oak	
36" Extra Large				
W36TU	Wall	Traditional	Unfinished	36" Classic Heath 36" Classic Pro
C36TU	Corner	Traditional	Unfinished	
W36TO	Wall	Traditional	Medium Oak	
C36TO	Corner	Traditional	Medium Oak	

Cabinet Mantels

Vantage Hearth Cabinet Mantels are available in all five sizes in the Traditional style. The smaller sizes, 21" and 26", are designed with a single molding detail on the header, while the larger sizes, 32" and 36", portray a picture frame design. Georgian and Classic styles are also available in select sizes and finishes.

Mantel Dimensions

MODEL #	A	B	C	D	E	F	G	H	I	J
21" Mini										
W21TP/TO	34	13 1/2	34 3/4	15 1/2	37 3/8	22 1/2	17 7/8	2	-	-
C21TP/TO	34 3/8	-	34 3/4	15 1/2	37 3/8	22 1/2	17 7/8	2	25 3/8	26
26" Compact										
W26TU/TO	44 7/8	17	39 1/4	19 1/2	48	26	27	4 1/4	-	-
C26TU/TO	44 7/8	-	39 1/4	8 7/8	48	26	27	4 1/4	31 3/4	30
W26GO	46	18 3/8	43 1/2	22	50	26	27	4 1/4	-	-
C26GO	46	-	43 1/2	22	50	26	27	4 1/4	33 1/2	33 1/2
32" Large										
W32TU/TO	54 5/8	20 3/8	49	24 1/2	58 1/2	33	35 1/2	4 1/4	-	-
C32TU/TO	55 1/2	-	53	22 3/4	60 1/8	33	35 1/2	4 1/4	39	35 7/8
W32CO	60 3/8	23 1/8	49	26	58 1/2	33	35 1/2	4 1/4	-	-
C32CO	60 3/8	-	53	25 5/8	58 1/2	33	35 1/2	4 1/4	38 3/4	38 1/2
W32DO	55	21 3/4	49 3/4	25 5/8	53	33	35 1/2	4 1/4	-	-
W32GO	51	23 1/8	44 3/4	20 1/2	55	33	35 1/2	4 1/4	-	-
C32GO	56 1/2	-	49	24 1/2	58 3/4	33	35 1/2	4 1/4	40	38 1/4
36" Extra Large										
W36TU/TO	61 1/4	28 1/2	56	30 1/2	61 1/4	36 5/8	42	4 1/4	-	-
C36TU/TO	61 1/4	-	56	30 5/8	61 1/4	36 5/8	42	4 1/4	47 1/2	42 1/2



Note: All measurements are in inches. Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.



Accessories

Accessories for 26" Single & Dual Flame Compact Classic Fireplaces

MODEL #	DESCRIPTION	WEIGHT
Perimeter Trim Kits		
GAB6094	3-Piece Firebox Perimeter Trim - Black	2.0 lbs.
GAP6094	3-Piece Firebox Perimeter Trim - Platinum	2.0 lbs.
Extruded Louver Kits		
GAB9092	Extruded Louvers - Black	2.0 lbs.
GAP9092	Extruded Louvers - Platinum	2.0 lbs.
Brick Liner Kits (Dual Flame Compact Classic Fireplaces Only)		
HFL200	Stacked Brick Pattern - Aged Almond	6.0 lbs.
HFL201	Stacked Brick Pattern - Aged Red	6.0 lbs.
Blower Kits		
GA3450TA	Thermostatically Controlled Blower	4.0 lbs.
Remote Controls (for Remote-Ready Models)		
MRC	Receiver and Hand-Held On/Off Remote Control Kit	1.0 lb.
TRC	Receiver and Hand-Held T-Stat Remote Control Kit	1.0 lb.
GWMS2	Wall Mount On/Off Switch Kit	1.0 lb.
GWMT1	Wall Mount Thermostatic Control Kit	1.0 lb.

Accessories for 32" & 36" Classic Hearth / Classic Pro Fireplaces

MODEL #	DESCRIPTION	WEIGHT
Perimeter Trim Kits		
PT32	32" Perimeter Trim Kit - Black	2.0 lbs.
PT32B	32" Perimeter Trim Kit - Brushed Brass	2.0 lbs.
PT32P	32" Perimeter Trim Kit - Platinum	2.0 lbs.
PT36	36" Perimeter Trim Kit - Black	3.0 lbs.
PT36B	36" Perimeter Trim Kit - Brushed Brass	3.0 lbs.
PT36P	36" Perimeter Trim Kit - Platinum	3.0 lbs.
Panel Kits		
GABB9094	32" Firebox Extruded Louvers - Brushed Brass (For VSGF28/VSGF33)	3.0 lbs.
GAB9094	32" Firebox Extruded Louvers - Black (For VSGF28/VSGF33)	3.0 lbs.
GAP9094	32" Firebox Extruded Louvers - Platinum	3.0 lbs.
SP36	36" Smooth Face Panel Kit - Black	6.0 lbs.
SL36	36" Stamped Louver Panel Kit - Black	6.0 lbs.
RL36	36" Rolled Louver Panel Kit - Black	9.0 lbs.
FP36	36" Filigree Panel Kit - Black	5.0 lbs.
FP36B	36" Filigree Panel Kit - Brushed Brass	5.0 lbs.
FP36P	36" Filigree Panel Kit - Platinum	5.0 lbs.
*Louver Trim Kits (for 36" Fireplaces *Requires Rolled Louver Panel Kit, Sold Separately)*		
LT36B	4-pc. 36" Rolled Louver Trim Kit - Brushed Brass	3.0 lbs.
LT36P	4-pc. 36" Rolled Louver Trim Kit - Platinum	3.0 lbs.
Sienna Screen Doors (36" Classic Hearth/Pro Fireplaces)		
CD36RC-2IS	36" Common Chassis Door - Natural Iron	51.0 lbs.
CD36RC-2CS	36" Common Chassis Door - Aged Copper	51.0 lbs.
CD36RC-2WS	36" Common Chassis Door - Antique White	51.0 lbs.
Valencia Screen Doors (36" Classic Hearth/Pro Fireplaces)		
CD36RC-1IS	36" Common Chassis Door - Natural Iron	46.0 lbs.
CD36RC-1SS	36" Common Chassis Door - Aged Silver	46.0 lbs.
CD36RC-1WS	36" Common Chassis Door - Antique White	46.0 lbs.
Hoods (36" Classic Hearth/Pro Fireplaces)		
H36RC-I	36" Deflection Hood, Common Chassis - Natural Iron	4.0 lbs.
H36RC-C	36" Deflection Hood, Common Chassis - Aged Copper	4.0 lbs.
H36RC-S	36" Deflection Hood, Common Chassis - Aged Silver	4.0 lbs.
H36RC-W	36" Deflection Hood, Common Chassis - Antique White	4.0 lbs.
Outlet Kits		
GA3555	Duplex Receptacle/Outlet Kit, for Recessed Installations	1.0 lb.

Accessories for 32" & 36" Classic Hearth / Classic Pro Fireplaces

MODEL #	DESCRIPTION	WEIGHT
Fan Kits		
GA3750A	Manual Blower, Variable Speed Control (For VSGF33/VYGF33)	14.0 lbs.
GA3650TB	Automatic Thermostatic Blower (For VSGF33/VYGF33)	14.0 lbs.
Brick Liner Kits		
HFL300	32" Brick Liner, Stacked Brick Pattern - Aged Almond	6.0 lbs.
HFL301	32" Brick Liner, Stacked Brick Pattern - Aged Red	6.0 lbs.
HFL310	32" Brick Liner, Herringbone Brick Pattern - Aged Almond	6.0 lbs.
HFL311	32" Brick Liner, Herringbone Brick Pattern - Aged Red	6.0 lbs.
HFL400	36" Brick Liner, Stacked Brick Pattern - Aged Almond (For VSGF36)	8.0 lbs.
HFL401	36" Brick Liner, Stacked Brick Pattern - Aged Red (For VSGF36)	8.0 lbs.
Remote Controls (for Remote-Ready Models)		
MRC	Receiver and Hand-Held On/Off Remote Control Kit	1.0 lb.
TRC	Receiver and Hand-Held T-Stat Remote Control Kit	1.0 lb.
GWMS2	Wall Mount On/Off Switch Kit	1.0 lb.
GWMT1	Wall Mount Thermostatic Control Kit	1.0 lb.

Accessories for Classic Fireplace Inserts

MODEL #	DESCRIPTION	WEIGHT
Perimeter Trim Kits		
GB38	30" h x 38" w Surround and Trim Kit - Black	6.0 lbs.
GB43	36 3/4" h x 43" w Surround and Trim Kit - Black	8.0 lbs.
GA3555	Duplex Receptacle/Outlet Kit	1.0 lb.
Remote Controls (for Remote-Ready Models)		
MRC	Receiver and Hand-Held On/Off Remote Control Kit	1.0 lb.
TRC	Receiver and Hand-Held T-Stat Remote Control Kit	1.0 lb.
GWMS2	Wall Mount On/Off Switch Kit	1.0 lb.
GWMT1	Wall Mount Thermostatic Control Kit	1.0 lb.

Accessories for Odyssey Fireplaces

MODEL #	DESCRIPTION	WEIGHT
Perimeter Trim Kits		
PT36	36" Perimeter Trim Kit - Black	3.0 lbs.
PT36B	36" Perimeter Trim Kit - Brushed Brass	3.0 lbs.
PT36P	36" Perimeter Trim Kit - Platinum	3.0 lbs.
PT42	42" Perimeter Trim Kit - Black	4.0 lbs.
PT42B	42" Perimeter Trim Kit - Brushed Brass	4.0 lbs.
PT42P	42" Perimeter Trim Kit - Platinum	4.0 lbs.
Face Covers		
OC36	36" Fireplace Cover	13.0 lbs.
OC42	42" Fireplace Cover	16.0 lbs.
Fuel Conversion Kits		
PCVM-36O	Natural Gas to Propane Fuel Conversion Kit (for 36" Odyssey)	1.0 lb.
NCVM-36O	Propane to Natural Gas Fuel Conversion Kit (for 36" Odyssey)	1.0 lb.
PCVM-42O	Natural Gas to Propane Fuel Conversion Kit (for 42" Odyssey)	1.0 lb.
NCVM-42O	Propane to Natural Gas Fuel Conversion Kit (for 42" Odyssey)	1.0 lb.
Heat Deflection Hoods		
HS36	36" Stainless Steel Hood with 4" Brow	4.5 lbs.
HS42	42" Stainless Steel Hood with 4" Brow	5.5 lbs.
Glass Doors		
BDO36	36" Outdoor Bi-Fold Door - Black	15.0 lbs.
BDO36B	36" Outdoor Bi-Fold Door - Brushed Brass	15.0 lbs.
BDO36P	36" Outdoor Bi-Fold Door - Platinum	15.0 lbs.
BDO42	42" Outdoor Bi-Fold Door - Black	17.0 lbs.
BDO42B	42" Outdoor Bi-Fold Door - Brushed Brass	17.0 lbs.
BDO42P	42" Outdoor Bi-Fold Door - Platinum	17.0 lbs.

Vantage Hearth™ by FMI PRODUCTS, LLC

Made in U.S.A.

MEMBER NPGA National PROPANE GAS Association

HPBA Hearth, Patio & Barbecue Association

FMI PRODUCTS, LLC

Look For Us Online:
www.fmiproducts.com

IMPORTANT

Installation must be done by qualified service persons.
Read Owner's Manual before using.
Check local codes and ordinances for permitted uses.
We reserve the right to amend product specifications without notice.
For warranty information please consult the owner's manual.

© 2012 FMI Products, LLC